

**EUCLA BASIN MINERAL RESOURCE BREAKDOWN BY DISTRICT, DEPOSIT AND JORC CATEGORY AT 31 DECEMBER 2022**

| Summary of Mineral Resources for Eucla Basin <sup>(1,3,6,7,8)</sup> |                        |  |                    |                     |                     |                     |              |                |                              |                  |                  |                                |                                 |
|---|------------------------|--|--------------------|---------------------|---------------------|---------------------|--------------|----------------|------------------------------|------------------|------------------|--------------------------------|---------------------------------|
| District  | Deposit                | Mineral Resource Category <sup>(2)</sup> | Material Tonnes Mt | 2022                | 2021                | Diff                | 2022         | Clay Grade (%) | HM Assemblage <sup>(4)</sup> |                  |                  |                                | Comments on Change of Resource  |
|   |                        |  |                    | In Situ HMTonnes Mt | In Situ HMTonnes Mt | In Situ HMTonnes Mt | HM Grade (%) |                | Ilmenite Grade (%)           | Zircon Grade (%) | Rutile Grade (%) | (M+X) <sup>(5)</sup> Grade (%) |                                 |
| East Eucla  | Ambrosia               | Measured                                 | 104.2              | 2.2                 | 2.4                 | (0.2)               | 2.1          | 14             | 24                           | 48               | 5                | 0.4                            | Mining depletion, updated model |
|   |                        | Indicated                                | 17.3               | 0.2                 | 0.2                 | 0.0                 | 1.3          | 14             | 21                           | 48               | 4                | 0.4                            | Mining depletion, updated model |
|   |                        | Inferred                                 | 17.8               | 0.3                 | 0.3                 | (0.0)               | 1.8          | 9              | 21                           | 51               | 4                | 0.4                            | Mining depletion, updated model |
|   | Atacama                | Indicated                                | 45.7               | 6.6                 | 6.0                 | 0.6                 | 14.4         | 8              | 70                           | 16               | 2                | 0.4                            | Exploration and updated model   |
|   |                        | Inferred                                 | 27.9               | 2.0                 | 2.5                 | (0.5)               | 7.1          | 8              | 69                           | 12               | 2                | 0.3                            | Exploration and updated model   |
|   | Jacinth                | Measured                                 | 2.6                | 0.0                 | 0.3                 | (0.3)               | 1.9          | 13             | 21                           | 56               | 4                | 0.7                            | Mining depletion, updated model |
|   |                        | Indicated                                | 3.2                | 0.1                 | 0.1                 | (0.0)               | 3.6          | 11             | 21                           | 55               | 4                | 0.6                            | Mining depletion, updated model |
|   |                        | Inferred                                 | 1.7                | 0.1                 | 0.1                 | (0.0)               | 3.7          | 7              | 20                           | 57               | 4                | 0.7                            | Mining depletion, updated model |
|   | Sonoran                | Indicated                                | 27.0               | 1.9                 | 1.9                 | -                   | 7.2          | 7              | 70                           | 19               | 2                | 0.2                            | No Change                       |
|   |                        | Inferred                                 | 0.5                | 0.1                 | 0.1                 | -                   | 18.4         | 5              | 51                           | 38               | 4                | 0.4                            | No Change                       |
|   | Tripitaka              | Measured                                 | 53.7               | 1.0                 | 1.0                 | -                   | 1.9          | 15             | 11                           | 65               | 5                | 0.2                            | No Change                       |
|   | Typhoon                | Measured                                 | 23.7               | 1.5                 | 1.5                 | -                   | 6.3          | 9              | 63                           | 13               | 1                | 0.2                            | No Change                       |
| <b>East Eucla</b>   | <b>Measured Total</b>  |  | <b>184</b>         | <b>5</b>            | <b>5</b>            | <b>(0.5)</b>        | <b>2.6</b>   | <b>14</b>      | <b>33</b>                    | <b>41</b>        | <b>3</b>         | <b>0.3</b>                     |                                 |
| <b>East Eucla</b>   | <b>Indicated Total</b> |  | <b>93</b>          | <b>9</b>            | <b>8</b>            | <b>0.6</b>          | <b>9.5</b>   | <b>9</b>       | <b>68</b>                    | <b>18</b>        | <b>2</b>         | <b>0.4</b>                     |                                 |
| <b>East Eucla</b>   | <b>Inferred Total</b>  |  | <b>48</b>          | <b>2</b>            | <b>3</b>            | <b>(0.5)</b>        | <b>5.1</b>   | <b>8</b>       | <b>61</b>                    | <b>19</b>        | <b>2</b>         | <b>0.3</b>                     |                                 |
| <b>East Eucla</b>   | <b>Total</b>           |  | <b>325</b>         | <b>16</b>           | <b>16</b>           | <b>(0.4)</b>        | <b>4.9</b>   | <b>12</b>      | <b>57</b>                    | <b>25</b>        | <b>2</b>         | <b>0.3</b>                     |                                 |
|   | <b>Measured Total</b>  |  | <b>184</b>         | <b>5</b>            | <b>5</b>            | <b>(0.5)</b>        | <b>2.6</b>   | <b>14</b>      | <b>33</b>                    | <b>41</b>        | <b>3</b>         | <b>0.3</b>                     |                                 |
|   | <b>Indicated Total</b> |  | <b>93</b>          | <b>9</b>            | <b>8</b>            | <b>0.6</b>          | <b>9.5</b>   | <b>9</b>       | <b>68</b>                    | <b>18</b>        | <b>2</b>         | <b>0.4</b>                     |                                 |
|   | <b>Inferred Total</b>  |  | <b>48</b>          | <b>2</b>            | <b>3</b>            | <b>(0.5)</b>        | <b>5.1</b>   | <b>8</b>       | <b>61</b>                    | <b>19</b>        | <b>2</b>         | <b>0.3</b>                     |                                 |
|   | <b>Grand Total</b>     |  | <b>325</b>         | <b>16</b>           | <b>16</b>           | <b>(0.4)</b>        | <b>4.9</b>   | <b>12</b>      | <b>57</b>                    | <b>25</b>        | <b>2</b>         | <b>0.3</b>                     |                                 |

**Notes:**

- (1) Competent Persons - Mineral Resources: B Gibson (MAIG). The Mineral Resources were reported in accordance with the JORC Code (2012 Edition).
- (2) Mineral Resources are inclusive of Ore Reserves.
- (3) Rounding may generate differences in last decimal place. The number of significant figures may not honour JORC Code guidelines to maintain a consistency in reporting.
- (4) Mineral assemblage is reported as a percentage of in situ HM component.
- (5) M+ X comprise the rare earth element bearing minerals monazite + xenotime.
- (6) The quoted figures are stated as at 31 December 2022 and have been depleted for all production conducted to date.
- (7) Information in this table that relates to the Mineral Resource estimates is extracted from the announcement dated 21 February 2017 "Updated Mineral Resource and Ore Reserve Statement" which is available to view on [www.iluka.com/investors-media/asx-disclosures](http://www.iluka.com/investors-media/asx-disclosures). Updates to the Mineral Resource estimates for Jacinth and Ambrosia Deposits were reported in Iluka's 2018 Annual Report, released 21 February 2019, Iluka's Annual Report for 2019, released 20 February 2020, Iluka's Annual Report for 2020, released 25 February 2021, Iluka's Annual Report for 2021, released 24 February 2022 and Iluka's Annual Report for 2022, released 21 February 2023 which are available to view at [www.iluka.com/investors-media/asx-disclosures](http://www.iluka.com/investors-media/asx-disclosures).
- (8) Iluka confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and as presented in updates in the Annual Reports and that all material assumptions and technical parameters underpinning the estimates continue to apply and have not materially changed. Iluka confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcements.

**PERTH BASIN MINERAL RESOURCE BREAKDOWN BY DISTRICT, DEPOSIT AND JORC CATEGORY AT 31 DECEMBER 2022**

| Summary of Mineral Resources for Perth Basin <sup>(1,3,6,8,9)</sup> |                          |  |                    |                     |                     |                     |              |                |                              |                  |                                 |                                |                                |
|---|--------------------------|--|--------------------|---------------------|---------------------|---------------------|--------------|----------------|------------------------------|------------------|---------------------------------|--------------------------------|--------------------------------|
| District  | Deposit                  | Mineral Resource Category <sup>(2)</sup> | Material Tonnes Mt | 2022                | 2021                | Diff                | 2022         | Clay Grade (%) | HM Assemblage <sup>(4)</sup> |                  |                                 |                                | Comments on Change of Resource |
|   |                          |  |                    | In Situ HMTonnes Mt | In Situ HMTonnes Mt | In Situ HMTonnes Mt | HM Grade (%) |                | Ilmenite Grade (%)           | Zircon Grade (%) | Rutile Grade <sup>(7)</sup> (%) | (M+X) <sup>(5)</sup> Grade (%) |                                |
| Eneabba   | Adamson                  | Measured                                 | 10.0               | 0.6                 | 0.6                 | -                   | 5.6          | 16             | 48                           | 13               | 7                               | 0.7                            | No Change                      |
|   |                          | Indicated                                | 36.5               | 1.5                 | 1.5                 | -                   | 4.2          | 16             | 44                           | 13               | 5                               | 0.5                            | No Change                      |
|   |                          | Inferred                                 | 5.6                | 0.3                 | 0.3                 | -                   | 4.6          | 17             | 47                           | 11               | 4                               | 0.4                            | No Change                      |
|   | Allied Tails             | Measured                                 | 35.8               | 1.5                 | 1.5                 | -                   | 4.3          | 19             | 40                           | 25               | 8                               | 2.4                            | No Change                      |
|   |                          | Indicated                                | 24.3               | 0.8                 | 0.8                 | -                   | 3.4          | 16             | 45                           | 13               | 6                               | 1.1                            | No Change                      |
|   | Brandy Flat              | Measured                                 | 39.2               | 2.0                 | 2.0                 | -                   | 5.1          | 20             | 50                           | 7                | 8                               | 0.4                            | No Change                      |
|   |                          | Indicated                                | 2.9                | 0.2                 | 0.2                 | -                   | 6.0          | 18             | 53                           | 8                | 11                              | 0.3                            | No Change                      |
|   | Depot Hill East          | Inferred                                 | 1.2                | 0.0                 | 0.0                 | -                   | 3.5          | 27             | 53                           | 9                | 12                              | 0.2                            | No Change                      |
|   |                          | Measured                                 | 21.9               | 0.5                 | 0.5                 | -                   | 2.2          | 13             | 53                           | 16               | 11                              | 0.2                            | No Change                      |
|   |                          | Indicated                                | 3.5                | 0.1                 | 0.1                 | -                   | 1.6          | 15             | 53                           | 16               | 11                              | 0.2                            | No Change                      |
|   | Depot Hill North         | Inferred                                 | 0.4                | 0.0                 | 0.0                 | -                   | 1.4          | 13             | 53                           | 16               | 11                              | 0.2                            | No Change                      |
|   |                          | Measured                                 | 33.4               | 1.1                 | 1.1                 | -                   | 3.2          | 12             | 56                           | 9                | 7                               | 0.5                            | No Change                      |
|   |                          | Indicated                                | 15.8               | 0.4                 | 0.4                 | -                   | 2.7          | 11             | 55                           | 11               | 7                               | 0.7                            | No Change                      |
|   | IPL Central              | Inferred                                 | 10.3               | 0.3                 | 0.3                 | -                   | 2.5          | 11             | 54                           | 9                | 6                               | 0.5                            | No Change                      |
|   |                          | Indicated                                | 25.5               | 2.7                 | 2.7                 | -                   | 10.7         | 20             | 37                           | 6                | 6                               | 0.5                            | No Change                      |
|   | IPL North                | Inferred                                 | 1.1                | 0.1                 | 0.1                 | -                   | 9.0          | 19             | 45                           | 9                | 7                               | 0.5                            | No Change                      |
|   |                          | Measured                                 | 26.7               | 2.9                 | 2.9                 | -                   | 10.7         | 19             | 43                           | 7                | 7                               | 0.4                            | No Change                      |
|   | IPL South                | Inferred                                 | 13.0               | 1.6                 | 1.6                 | -                   | 12.5         | 19             | 38                           | 7                | 7                               | 0.4                            | No Change                      |
|   |                          | Measured                                 | 4.8                | 0.4                 | 0.4                 | -                   | 8.1          | 15             | 50                           | 16               | 16                              | 1.2                            | No Change                      |
|   |                          | Indicated                                | 11.6               | 0.8                 | 0.8                 | -                   | 7.2          | 16             | 34                           | 12               | 10                              | 0.7                            | No Change                      |
|   | MSP By-Product Stockpile | Inferred                                 | 3.8                | 0.2                 | 0.2                 | -                   | 5.0          | 17             | 36                           | 26               | 15                              | 1.0                            | No Change                      |
|   |                          | Measured                                 | 0.68               | 0.57                | 0.57                | 0.00                | 84.0         | 3              | 32                           | 26               | 0                               | 21.4                           | Additional tailing stockpiled  |
|   |                          | Indicated                                | 0.29               | 0.24                | 0.19                | 0.05                | 82.5         | 3              | 37                           | 31               | 0                               | 13.2                           | Additional tailing stockpiled  |
|   | North Mine Remnants      | Inferred                                 | 0.06               | 0.04                | 0.04                | 0.00                | 69.4         | 5              | 38                           | 29               | 0                               | 13.2                           | Additional tailing stockpiled  |
|   |                          | Measured                                 | 12.2               | 0.7                 | 0.7                 | -                   | 5.8          | 14             | 55                           | 10               | 7                               | 0.4                            | No Change                      |
|   |                          | Indicated                                | 8.5                | 0.5                 | 0.5                 | -                   | 5.7          | 12             | 45                           | 9                | 5                               | 0.3                            | No Change                      |
|   | Northern Leases          | Inferred                                 | 11.9               | 0.7                 | 0.7                 | -                   | 5.6          | 13             | 48                           | 9                | 5                               | 0.3                            | No Change                      |
|   |                          | Indicated                                | 26.1               | 1.2                 | 1.2                 | -                   | 4.6          | 13             | 57                           | 14               | 10                              | 0.8                            | No Change                      |
|   | Ocean Hill               | Inferred                                 | 31.7               | 1.3                 | 1.3                 | -                   | 4.0          | 13             | 52                           | 10               | 8                               | 0.5                            | No Change                      |
|   |                          | Measured                                 | 7.0                | 0.2                 | 0.2                 | -                   | 2.7          | 12             | 51                           | 20               | 13                              | 0.3                            | No Change                      |
|   | South Tails              | Measured                                 | 29.9               | 1.3                 | 1.3                 | -                   | 4.4          | 16             | 45                           | 16               | 6                               | 0.7                            | No Change                      |
|   |                          | Indicated                                | 18.4               | 0.9                 | 0.9                 | -                   | 4.7          | 19             | 46                           | 14               | 7                               | 0.5                            | No Change                      |
|   | Twin Hills               | Inferred                                 | 13.6               | 0.5                 | 0.5                 | -                   | 3.3          | 18             | 43                           | 11               | 5                               | 0.5                            | No Change                      |
|   |                          | Measured                                 | 16.2               | 0.4                 | 0.4                 | -                   | 2.5          | 16             | 55                           | 12               | 10                              | 0.3                            | No Change                      |
|   |                          | Indicated                                | 4.9                | 0.2                 | 0.2                 | -                   | 3.1          | 15             | 57                           | 11               | 10                              | 0.4                            | No Change                      |
|   | Western Remnants         | Measured                                 | 17.3               | 1.3                 | 1.3                 | -                   | 7.8          | 19             | 45                           | 11               | 7                               | 0.8                            | No Change                      |
|   | Yellow Dam               | Indicated                                | 0.2                | 0.1                 | 0.1                 | -                   | 42.1         | 5              | 22                           | 22               | 2                               | 0.9                            | No Change                      |
| <b>Eneabba</b>  | <b>Measured Total</b>    |  | <b>255</b>         | <b>13.4</b>         | <b>13.4</b>         | <b>-</b>            | <b>5.3</b>   | <b>16</b>      | <b>47</b>                    | <b>13</b>        | <b>7</b>                        | <b>1.6</b>                     |                                |
| <b>Eneabba</b>  | <b>Indicated Total</b>   |  | <b>178</b>         | <b>9.6</b>          | <b>9.5</b>          | <b>0.1</b>          | <b>5.4</b>   | <b>16</b>      | <b>44</b>                    | <b>11</b>        | <b>7</b>                        | <b>0.9</b>                     |                                |
| <b>Eneabba</b>  | <b>Inferred Total</b>    |  | <b>93</b>          | <b>4.9</b>          | <b>4.9</b>          | <b>-</b>            | <b>5.3</b>   | <b>15</b>      | <b>45</b>                    | <b>10</b>        | <b>7</b>                        | <b>0.6</b>                     |                                |
| <b>Eneabba</b>  | <b>Total</b>             |  | <b>526</b>         | <b>27.9</b>         | <b>27.9</b>         | <b>0.1</b>          | <b>5.3</b>   | <b>16</b>      | <b>45</b>                    | <b>12</b>        | <b>7</b>                        | <b>1.2</b>                     |                                |

| PERTH BASIN MINERAL RESOURCE BREAKDOWN BY DISTRICT, DEPOSIT AND JORC CATEGORY AT 31 DECEMBER 2022 |                 |  |                    |                     |                     |                     |              |                              |                    |                  |                                 |                                |  |
|---|-----------------|--|--------------------|---------------------|---------------------|---------------------|--------------|------------------------------|--------------------|------------------|---------------------------------|--------------------------------|--|
| Summary of Mineral Resources for Perth Basin <sup>(1,3,6,8,9)</sup>                               |                 |  |                    | 2022                | 2021                | Diff                | 2022         | HM Assemblage <sup>(4)</sup> |                    |                  |                                 |                                | Comments on Change of Resource                 |
| District  | Deposit         | Mineral Resource Category <sup>(2)</sup> | Material Tonnes Mt | In Situ HMTonnes Mt | In Situ HMTonnes Mt | In Situ HMTonnes Mt | HM Grade (%) | Clay Grade (%)               | Ilmenite Grade (%) | Zircon Grade (%) | Rutile Grade <sup>(7)</sup> (%) | (M+X) <sup>(5)</sup> Grade (%) |  |
| WA-Mid-West   | Cataby          | Measured                                 | 118.3              | 6.2                 | 6.7                 | (0.5)               | 5.2          | 12                           | 60                 | 9                | 4                               | 0.7                            | Mining Depletion, Remodel and ROM removed      |
|   |                 | Indicated                                | 86.8               | 3.3                 | 3.1                 | 0.2                 | 3.8          | 11                           | 59                 | 8                | 4                               | 0.8                            | Mining Depletion, Remodel                      |
|   |                 | Inferred                                 | 71.9               | 2.4                 | 2.5                 | (0.1)               | 3.4          | 12                           | 60                 | 8                | 4                               | 0.9                            | Mining Depletion, Remodel                      |
|   | Cataby ROM      | Measured                                 | 4.1                | 0.1                 | 0.0                 | 0.1                 | 3.5          | 11                           | 62                 | 7                | 4                               | 0.6                            | New deposit, ROM previously reported in Cataby |
|   |                 | Indicated                                | 2.0                | 0.1                 | 0.0                 | 0.1                 | 5.0          | 10                           | 60                 | 5                | 8                               | 0.6                            | New deposit, ROM previously reported in Cataby |
|   |                 |  |                    |                     |                     |                     |              |                              |                    |                  |                                 |                                |  |
| WA-Mid-West   | Measured Total  |  | 122                | 6.3                 | 6.7                 | (0.4)               | 5.2          | 12                           | 60                 | 9                | 4                               | 0.7                            |  |
| WA-Mid-West   | Indicated Total |  | 89                 | 3.4                 | 3.1                 | 0.3                 | 3.8          | 11                           | 59                 | 8                | 4                               | 0.8                            |  |
| WA-Mid-West   | Inferred Total  |  | 72                 | 2.4                 | 2.5                 | (0.1)               | 3.4          | 12                           | 60                 | 8                | 4                               | 0.9                            |  |
| WA-Mid-West   | Total           |  | 283                | 12.2                | 12.3                | (0.2)               | 4.3          | 12                           | 60                 | 8                | 4                               | 0.8                            |  |

**PERTH BASIN MINERAL RESOURCE BREAKDOWN BY DISTRICT, DEPOSIT AND JORC CATEGORY AT 31 DECEMBER 2022**

| Summary of Mineral Resources for Perth Basin <sup>(1,3,6,8,9)</sup> |                        |  |                    |                     |                     |                     |              |                              |                    |                  |                                 |                                |                                |
|---|------------------------|--|--------------------|---------------------|---------------------|---------------------|--------------|------------------------------|--------------------|------------------|---------------------------------|--------------------------------|--------------------------------|
| District  | Deposit                | Mineral Resource Category <sup>(2)</sup> | Material Tonnes Mt | 2022                | 2021                | Diff                | 2022         | HM Assemblage <sup>(4)</sup> |                    |                  |                                 | (M+X) <sup>(5)</sup> Grade (%) | Comments on Change of Resource |
|   |                        |  |                    | In Situ HMTonnes Mt | In Situ HMTonnes Mt | In Situ HMTonnes Mt | HM Grade (%) | Clay Grade (%)               | Ilmenite Grade (%) | Zircon Grade (%) | Rutile Grade <sup>(7)</sup> (%) |                                |                                |
| WA-South-West   | Capel South            | Measured                                 | 14.4               | 1.3                 | 1.3                 | -                   | 8.8          | 16                           | 82                 | 6                | 1                               | 0.3                            | No change                      |
|   |                        | Indicated                                | 3.0                | 0.2                 | 0.2                 | -                   | 6.7          | 14                           | 77                 | 6                | 1                               | 0.4                            | No change                      |
|   |                        | Inferred                                 | 0.3                | 0.0                 | 0.0                 | -                   | 7.4          | 19                           | 81                 | 6                | 1                               | 0.4                            | No change                      |
|   | Elgin Gilmore          | Measured                                 | 9.3                | 0.6                 | 0.6                 | -                   | 6.4          | 5                            | 76                 | 7                | 2                               | 0.5                            | No change                      |
|   |                        | Indicated                                | 14.3               | 1.4                 | 1.4                 | -                   | 9.8          | 8                            | 73                 | 7                | 2                               | 1.2                            | No change                      |
|   |                        | Inferred                                 | 21.2               | 1.7                 | 1.7                 | -                   | 8.0          | 6                            | 73                 | 9                | 1                               | 1.2                            | No change                      |
|   | Scotts                 | Measured                                 | 5.5                | 0.5                 | 0.5                 | -                   | 8.5          | 10                           | 76                 | 7                | 1                               | 0.4                            | No change                      |
|   |                        | Inferred                                 | 2.7                | 0.2                 | 0.2                 | -                   | 6.2          | 12                           | 60                 | 9                | 1                               | 0.5                            | No change                      |
|   | Tutunup                | Measured                                 | 26.7               | 2.9                 | 2.9                 | -                   | 11.0         | 17                           | 70                 | 10               | 1                               | 0.9                            | No change                      |
|   |                        | Indicated                                | 1.0                | 0.1                 | 0.1                 | -                   | 6.0          | 13                           | 39                 | 10               | 1                               | 0.8                            | No change                      |
|   |                        | Inferred                                 | 1.9                | 0.1                 | 0.1                 | -                   | 5.8          | 14                           | 50                 | 10               | 1                               | 0.8                            | No change                      |
|   | Uplands                | Measured                                 | 5.7                | 0.4                 | 0.4                 | -                   | 7.1          | 10                           | 83                 | 7                | 1                               | 0.5                            | No change                      |
|   |                        | Indicated                                | 3.1                | 0.2                 | 0.2                 | -                   | 7.1          | 11                           | 83                 | 8                | 1                               | 0.6                            | No change                      |
|   |                        | Inferred                                 | 0.8                | 0.0                 | 0.0                 | -                   | 5.9          | 5                            | 83                 | 7                | 1                               | 0.6                            | No change                      |
|   | Yarloop                | Measured                                 | 15.5               | 1.3                 | 1.3                 | -                   | 8.1          | 20                           | 78                 | 7                | 1                               | 0.4                            | No change                      |
|   |                        | Indicated                                | 2.4                | 0.3                 | 0.3                 | -                   | 11.4         | 19                           | 85                 | 7                | 1                               | 0.3                            | No change                      |
|   |                        | Inferred                                 | 0.3                | 0.0                 | 0.0                 | -                   | 7.3          | 31                           | 77                 | 7                | 1                               | 0.5                            | No change                      |
|   | Yoganup Extended       | Measured                                 | 14.2               | 1.1                 | 1.1                 | -                   | 7.5          | 16                           | 70                 | 9                | 2                               | 0.7                            | No change                      |
|   |                        | Indicated                                | 14.9               | 1.2                 | 1.2                 | -                   | 8.1          | 19                           | 71                 | 9                | 2                               | 0.6                            | No change                      |
|   |                        | Inferred                                 | 0.1                | 0.01                | 0.01                | -                   | 6.3          | 26                           | 76                 | 8                | 1                               | 0.2                            | No change                      |
| <b>WA-South-West</b>  | <b>Measured Total</b>  |  | <b>91</b>          | <b>8.0</b>          | <b>8.0</b>          | -                   | <b>8.8</b>   | <b>15</b>                    | <b>75</b>          | <b>8</b>         | <b>1</b>                        | <b>0.6</b>                     |                                |
| <b>WA-South-West</b>  | <b>Indicated Total</b> |  | <b>39</b>          | <b>3.4</b>          | <b>3.4</b>          | -                   | <b>8.7</b>   | <b>14</b>                    | <b>74</b>          | <b>8</b>         | <b>1</b>                        | <b>0.8</b>                     |                                |
| <b>WA-South-West</b>  | <b>Inferred Total</b>  |  | <b>27</b>          | <b>2.1</b>          | <b>2.1</b>          | -                   | <b>7.6</b>   | <b>8</b>                     | <b>71</b>          | <b>9</b>         | <b>1</b>                        | <b>1.1</b>                     |                                |
| <b>WA-South-West</b>  | <b>Total</b>           |  | <b>157</b>         | <b>13.4</b>         | <b>13.4</b>         | -                   | <b>8.5</b>   | <b>13</b>                    | <b>74</b>          | <b>8</b>         | <b>1</b>                        | <b>0.7</b>                     |                                |
|   | <b>Measured Total</b>  |  | <b>469</b>         | <b>27.8</b>         | <b>28.2</b>         | <b>(0.4)</b>        | <b>5.9</b>   | <b>15</b>                    | <b>58</b>          | <b>11</b>        | <b>5</b>                        | <b>1.1</b>                     |                                |
|   | <b>Indicated Total</b> |  | <b>306</b>         | <b>16.4</b>         | <b>16.0</b>         | <b>0.4</b>          | <b>5.4</b>   | <b>14</b>                    | <b>53</b>          | <b>10</b>        | <b>5</b>                        | <b>0.9</b>                     |                                |
|   | <b>Inferred Total</b>  |  | <b>192</b>         | <b>9.4</b>          | <b>9.5</b>          | <b>(0.1)</b>        | <b>4.9</b>   | <b>13</b>                    | <b>55</b>          | <b>9</b>         | <b>5</b>                        | <b>0.8</b>                     |                                |
|   | <b>Grand Total</b>     |  | <b>966</b>         | <b>53.5</b>         | <b>53.6</b>         | <b>(0.1)</b>        | <b>5.5</b>   | <b>14</b>                    | <b>56</b>          | <b>10</b>        | <b>5</b>                        | <b>1.0</b>                     |                                |

**Notes:**

(1) Competent Persons - Mineral Resources: B Gibson (MAIG). The Mineral Resources were reported in accordance with the JORC Code (2012 Edition).

(2) Mineral Resources are inclusive of Ore Reserves.

(3) Rounding may generate differences in last decimal place. The aggregated totals may appear to reflect a greater degree of precision than individual deposits to maintain consistency in reporting.

(4) Mineral assemblage is reported as a percentage of in situ HM component.

(5) M+ X comprise the rare earth element bearing minerals monazite + xenotime.

(6) The quoted figures are stated as at 31 December 2022 and have been depleted for all production conducted to date.

(7) Rutile component in WA - South-West operations is sold as a Leucoxene product.

(8) Information in this table that relates to the Mineral Resource estimates for all deposits, except MSP By-product Stockpile, was extracted from the announcement dated 21 February 2017 "Updated Mineral Resource and Ore Reserve Statement" which is available to view at [www.iluka.com/investors-media/asx-disclosures](http://www.iluka.com/investors-media/asx-disclosures). The information in this table that relates to the MSP By-product Stockpile Deposit is extracted from the announcement dated 24 July 2019 "Eneabba Mineral Sands Recovery Project Update" which is available to view at [www.iluka.com/investors-media/asx-disclosures](http://www.iluka.com/investors-media/asx-disclosures). Updates to the Mineral Resource estimates for MSP By-products Stockpile, Cataby and South Capel Offices Deposits were reported in Ilukas 2018 Annual Report, released 21 February 2019, Iluka's Annual Report for 2019, released 20 February 2020, Iluka's Annual Report for 2020, released 25 February 2021, Iluka's Annual Report for 2021, released 24 February 2022 and Iluka's Annual Report for 2022, released 21 February 2023 which are available to view at [www.iluka.com/investors-media/asx-disclosures](http://www.iluka.com/investors-media/asx-disclosures).

(9) Iluka confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and as presented in updates in the Annual Reports and that all material assumptions and technical parameters underpinning the estimates continue to apply and have not materially changed. Iluka confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcements.

## PERTH BASIN MINERAL RESOURCE BREAKDOWN BY DISTRICT, DEPOSIT AND JORC CATEGORY AT 31 DECEMBER 2022

| Summary of Mineral Resources for Murray Basin <sup>(1,3,6,7,8)</sup> |                        |  |                    |                     |                     |                     |              |                              |                    |                  |                  |                                |                                |
|--|------------------------|--|--------------------|---------------------|---------------------|---------------------|--------------|------------------------------|--------------------|------------------|------------------|--------------------------------|--------------------------------|
| District   | Deposit                | Mineral Resource Category <sup>(2)</sup> | Material Tonnes Mt | 2022                | 2021                | Diff                | 2022         | HM Assemblage <sup>(4)</sup> |                    |                  |                  |                                | Comments on Change of Resource |
|  |                        |  |                    | In Situ HMTonnes Mt | In Situ HMTonnes Mt | In Situ HMTonnes Mt | HM Grade (%) | Clay Grade (%)               | Ilmenite Grade (%) | Zircon Grade (%) | Rutile Grade (%) | (M+X) <sup>(5)</sup> Grade (%) |                                |
| Balranald  | Endeavour              | Inferred                                 | 7.6                | 1.9                 | 1.9                 | -                   | 25.5         | 2                            | 58                 | 9                | 13               | 0.7                            | No Change                      |
|  |                        | Indicated                                | 8.4                | 2.3                 | 2.3                 | -                   | 27.5         | 4                            | 60                 | 14               | 15               | 1.1                            | No Change                      |
|  | West Balranald         | Inferred                                 | 0.8                | 0.1                 | 0.1                 | -                   | 11.2         | 7                            | 57                 | 15               | 14               | 1.2                            | No Change                      |
|  |                        | Measured                                 | 5.9                | 2.6                 | 3.8                 | (1.2)               | 43.9         | 8                            | 65                 | 12               | 13               | 1.0                            | Updated model                  |
|  |                        | Indicated                                | 26.3               | 8.6                 | 7.0                 | 1.6                 | 32.6         | 6                            | 64                 | 11               | 12               | 0.9                            | Updated model                  |
|  |                        | Inferred                                 | 4.5                | 1.2                 | 1.2                 | (0.0)               | 26.2         | 6                            | 62                 | 8                | 9                | 0.7                            | Updated model                  |
| <b>Balranald</b>   | <b>Measured Total</b>  |  | <b>6</b>           | <b>2.6</b>          | <b>3.8</b>          | <b>(1.2)</b>        | <b>43.9</b>  | <b>8</b>                     | <b>65</b>          | <b>12</b>        | <b>13</b>        | <b>1.0</b>                     |                                |
| <b>Balranald</b>   | <b>Indicated Total</b> |  | <b>35</b>          | <b>10.9</b>         | <b>9.3</b>          | <b>1.6</b>          | <b>31.4</b>  | <b>5</b>                     | <b>63</b>          | <b>12</b>        | <b>13</b>        | <b>0.9</b>                     |                                |
| <b>Balranald</b>   | <b>Inferred Total</b>  |  | <b>13</b>          | <b>3.2</b>          | <b>3.2</b>          | <b>(0.0)</b>        | <b>24.9</b>  | <b>4</b>                     | <b>60</b>          | <b>9</b>         | <b>12</b>        | <b>0.7</b>                     |                                |
| <b>Balranald</b>   | <b>Total</b>           |  | <b>54</b>          | <b>16.7</b>         | <b>16.3</b>         | <b>0.4</b>          | <b>31.2</b>  | <b>5</b>                     | <b>63</b>          | <b>11</b>        | <b>12</b>        | <b>0.9</b>                     |                                |
| Douglas  | Bondi East Far North   | Measured                                 | 2.3                | 0.4                 | 0.4                 | -                   | 18.4         | 20                           | 53                 | 17               | 5                | 2.2                            | No change                      |
|  |                        | Indicated                                | 6.8                | 0.6                 | 0.6                 | -                   | 8.9          | 21                           | 55                 | 17               | 6                | 1.3                            | No change                      |
|  |                        | Inferred                                 | 1.8                | 0.1                 | 0.1                 | -                   | 4.5          | 28                           | 40                 | 13               | 5                | 1.3                            | No change                      |
|  | Bondi Main Far North   | Inferred                                 | 8.2                | 0.6                 | 0.6                 | -                   | 7.5          | 19                           | 32                 | 8                | 6                | 0.4                            | No change                      |
|  | Bondi West             | Measured                                 | 1.7                | 0.2                 | 0.2                 | -                   | 9.2          | 21                           | 37                 | 6                | 6                | 0.1                            | No change                      |
|  |                        | Indicated                                | 0.2                | 0.0                 | 0.0                 | -                   | 7.3          | 18                           | 35                 | 6                | 5                | 0.1                            | No change                      |
|  |                        | Inferred                                 | 0.0                | 0.0                 | 0.0                 | -                   | 4.8          | 23                           | 38                 | 8                | 7                | 0.3                            | No change                      |
|  | Manly                  | Inferred                                 | 2.3                | 0.5                 | 0.5                 | -                   | 22.3         | 17                           | 62                 | 10               | 11               | 0.3                            | No change                      |
|  |                        |  |                    |                     |                     |                     |              |                              |                    |                  |                  |                                |                                |
| <b>Douglas</b>   | <b>Measured Total</b>  |  | <b>4</b>           | <b>0.6</b>          | <b>0.6</b>          | <b>-</b>            | <b>14.5</b>  | <b>21</b>                    | <b>48</b>          | <b>14</b>        | <b>5</b>         | <b>1.6</b>                     |                                |
| <b>Douglas</b>   | <b>Indicated Total</b> |  | <b>7</b>           | <b>0.6</b>          | <b>0.6</b>          | <b>-</b>            | <b>8.9</b>   | <b>21</b>                    | <b>54</b>          | <b>17</b>        | <b>6</b>         | <b>1.3</b>                     |                                |
| <b>Douglas</b>   | <b>Inferred Total</b>  |  | <b>12</b>          | <b>1.2</b>          | <b>1.2</b>          | <b>-</b>            | <b>9.8</b>   | <b>20</b>                    | <b>45</b>          | <b>9</b>         | <b>8</b>         | <b>0.4</b>                     |                                |
| <b>Douglas</b>   | <b>Total</b>           |  | <b>23</b>          | <b>2.4</b>          | <b>2.4</b>          | <b>-</b>            | <b>10.3</b>  | <b>21</b>                    | <b>48</b>          | <b>12</b>        | <b>7</b>         | <b>0.9</b>                     |                                |
| Euston   | Castaway               | Indicated                                | 4.3                | 0.8                 | 0.8                 | -                   | 17.6         | 6                            | 47                 | 12               | 23               | 0.9                            | No Change                      |
|  |                        | Indicated                                | 4.3                | 0.6                 | 0.6                 | -                   | 14.9         | 5                            | 45                 | 10               | 23               | 0.9                            | No Change                      |
|  |                        | Inferred                                 | 4.1                | 0.4                 | 0.4                 | -                   | 9.7          | 4                            | 40                 | 14               | 26               | 0.8                            | No Change                      |
|  | Kerribee               | Indicated                                | 9.0                | 1.4                 | 1.4                 | -                   | 14.9         | 8                            | 47                 | 14               | 16               | 1.3                            | No Change                      |
|  |                        | Inferred                                 | 2.4                | 0.3                 | 0.3                 | -                   | 11.0         | 15                           | 44                 | 10               | 18               | 0.7                            | No Change                      |
|  | Ki Downs               | Inferred                                 | 6.3                | 0.6                 | 0.8                 | (0.2)               | 9.0          | 20                           | 42                 | 11               | 25               | 0.5                            | Updated model                  |
|  | Koolaman               | Indicated                                | 4.0                | 0.6                 | 0.6                 | -                   | 15.6         | 6                            | 46                 | 15               | 23               | 1.3                            | No Change                      |
|  |                        | Inferred                                 | 2.6                | 0.2                 | 0.2                 | -                   | 8.4          | 10                           | 44                 | 12               | 20               | 1.1                            | No Change                      |
|  | Yalong <sup>(7)</sup>  | Indicated                                | 4.1                | 1.2                 | 1.2                 | -                   | 30.3         | 3                            | 42                 | 13               | 24               | 0.9                            | No Change                      |
|  |                        | Inferred                                 | 2.0                | 0.1                 | 0.1                 | -                   | 5.3          | 3                            | 47                 | 13               | 17               | 0.9                            | No Change                      |
| <b>Euston</b>  | <b>Measured Total</b>  |  | <b>-</b>           | <b>-</b>            | <b>-</b>            | <b>-</b>            | <b>-</b>     | <b>-</b>                     | <b>-</b>           | <b>-</b>         | <b>-</b>         | <b>-</b>                       |                                |
| <b>Euston</b>  | <b>Indicated Total</b> |  | <b>26</b>          | <b>4.6</b>          | <b>4.6</b>          | <b>-</b>            | <b>17.9</b>  | <b>6</b>                     | <b>45</b>          | <b>13</b>        | <b>21</b>        | <b>1.1</b>                     |                                |
| <b>Euston</b>  | <b>Inferred Total</b>  |  | <b>17</b>          | <b>1.6</b>          | <b>1.8</b>          | <b>(0.2)</b>        | <b>8.9</b>   | <b>12</b>                    | <b>42</b>          | <b>12</b>        | <b>22</b>        | <b>0.7</b>                     |                                |
| <b>Euston</b>  | <b>Total</b>           |  | <b>43</b>          | <b>6.1</b>          | <b>6.4</b>          | <b>(0.2)</b>        | <b>14.3</b>  | <b>8</b>                     | <b>44</b>          | <b>13</b>        | <b>21</b>        | <b>1.0</b>                     |                                |

**PERTH BASIN MINERAL RESOURCE BREAKDOWN BY DISTRICT, DEPOSIT AND JORC CATEGORY AT 31 DECEMBER 2022**

| Summary of Mineral Resources for Murray Basin <sup>(1,3,6,8,9)</sup> |                        |  |                    |                     |                     |                     |              |                |                              |                  |                  |                                |                                |
|--|------------------------|--|--------------------|---------------------|---------------------|---------------------|--------------|----------------|------------------------------|------------------|------------------|--------------------------------|--------------------------------|
| District   | Deposit                | Mineral Resource Category <sup>(2)</sup> | Material Tonnes Mt | 2022                | 2021                | Diff                | 2022         | Clay Grade (%) | HM Assemblage <sup>(4)</sup> |                  |                  |                                | Comments on Change of Resource |
|  |                        |  |                    | In Situ HMTonnes Mt | In Situ HMTonnes Mt | In Situ HMTonnes Mt | HM Grade (%) |                | Ilmenite Grade (%)           | Zircon Grade (%) | Rutile Grade (%) | (M+X) <sup>(5)</sup> Grade (%) |                                |
| Ouyen  | Adaptordie             | Indicated                                | 3.7                | 0.6                 | 0.6                 | -                   | 15.9         | 11             | 53                           | 9                | 18               | 0.5                            |                                |
|  | Anom B                 | Inferred                                 | 3.8                | 0.3                 | 0.3                 | -                   | 9.3          | 11             | 46                           | 9                | 14               | 0.7                            | No change                      |
|  | Archer                 | Inferred                                 | 2.8                | 0.3                 | 0.3                 | -                   | 10.8         | 14             | 48                           | 10               | 19               | 0.6                            | No change                      |
|  | Bells                  | Inferred                                 | 8.3                | 1.0                 | 1.0                 | -                   | 11.9         | 13             | 45                           | 11               | 14               | 0.8                            | No change                      |
|  | Boulka                 | Inferred                                 | 7.3                | 0.7                 | 0.7                 | -                   | 9.2          | 6              | 48                           | 10               | 16               | 0.8                            | No change                      |
|  | Cyclops                | Inferred                                 | 4.2                | 0.4                 | 0.4                 | -                   | 9.2          | 14             | 43                           | 11               | 19               | 0.9                            | No change                      |
|  | Mittyack               | Indicated                                | 5.9                | 0.6                 | 0.6                 | -                   | 10.6         | 22             | 51                           | 7                | 13               | 0.5                            | No change                      |
|  |                        | Inferred                                 | 0.5                | 0.0                 | 0.0                 | -                   | 7.6          | 21             | 47                           | 7                | 14               | 0.5                            | No change                      |
|  | Nunga West             | Inferred                                 | 2.6                | 0.3                 | 0.3                 | -                   | 13.1         | 11             | 45                           | 12               | 18               | 0.6                            | No change                      |
|  | Wagnut                 | Inferred                                 | 4.1                | 0.3                 | 0.3                 | -                   | 8.6          | 13             | 43                           | 9                | 12               | 1.0                            | No change                      |
| <b>Ouyen</b>   | <b>Measured Total</b>  |  | -                  | -                   | -                   | -                   | -            | -              | -                            | -                | -                | -                              |                                |
| <b>Ouyen</b>   | <b>Indicated Total</b> |  | <b>10</b>          | <b>1.2</b>          | <b>1.2</b>          | -                   | <b>12.7</b>  | <b>18</b>      | <b>52</b>                    | <b>8</b>         | <b>15</b>        | <b>0.5</b>                     |                                |
| <b>Ouyen</b>   | <b>Inferred Total</b>  |  | <b>33</b>          | <b>3.4</b>          | <b>3.4</b>          | -                   | <b>10.2</b>  | <b>11</b>      | <b>46</b>                    | <b>10</b>        | <b>16</b>        | <b>0.8</b>                     |                                |
| <b>Ouyen</b>   | <b>Total</b>           |  | <b>43</b>          | <b>4.6</b>          | <b>4.6</b>          | -                   | <b>10.8</b>  | <b>13</b>      | <b>47</b>                    | <b>10</b>        | <b>15</b>        | <b>0.7</b>                     |                                |
| Sea Lake   | Barbary                | Indicated                                | 8.7                | 1.1                 | 1.1                 | -                   | 13.0         | 15             | 49                           | 6                | 10               | 0.3                            | No change                      |
|  |                        | Inferred                                 | 10.6               | 0.9                 | 0.9                 | -                   | 8.1          | 15             | 39                           | 5                | 4                | 0.2                            | No change                      |
|  | Dunkirk                | Indicated                                | 8.8                | 1.7                 | 1.7                 | -                   | 19.1         | 17             | 53                           | 4                | 5                | 0.4                            | No change                      |
|  |                        | Inferred                                 | 0.3                | 0.0                 | 0.0                 | -                   | 12.5         | 17             | 56                           | 12               | 7                | 0.5                            | No change                      |
| <b>Sea Lake</b>  | <b>Measured Total</b>  |  | -                  | <b>0.0</b>          | <b>0.0</b>          | -                   | -            | -              | -                            | -                | -                | -                              |                                |
| <b>Sea Lake</b>  | <b>Indicated Total</b> |  | <b>18</b>          | <b>2.8</b>          | <b>2.8</b>          | -                   | <b>16.1</b>  | <b>16</b>      | <b>51</b>                    | <b>4</b>         | <b>7</b>         | <b>0.4</b>                     |                                |
| <b>Sea Lake</b>  | <b>Inferred Total</b>  |  | <b>11</b>          | <b>0.9</b>          | <b>0.9</b>          | -                   | <b>8.2</b>   | <b>15</b>      | <b>39</b>                    | <b>5</b>         | <b>4</b>         | <b>0.2</b>                     |                                |
| <b>Sea Lake</b>  | <b>Total</b>           |  | <b>29</b>          | <b>3.7</b>          | <b>3.7</b>          | -                   | <b>13.1</b>  | <b>16</b>      | <b>48</b>                    | <b>5</b>         | <b>6</b>         | <b>0.3</b>                     |                                |
| Wimmera  | WIM100                 | Indicated                                | 382                | 17.7                | 15.9                | 1.8                 | 4.6          | 13             | 30                           | 17               | 6                | 2.8                            | Updated model                  |
|  |                        | Inferred                                 | 66                 | 2.8                 | 3.4                 | (0.6)               | 4.3          | 13             | 32                           | 19               | 7                | 3.4                            | Updated model                  |
|  | WIM50                  | Inferred                                 | 360                | 14.8                | 14.8                | -                   | 4.1          | 12             | 38                           | 16               | 7                | 2.2                            | No Change                      |
|  | WIM50N                 | Inferred                                 | 577                | 33.1                | 33.1                | -                   | 5.7          | 14             | 29                           | 15               | 4                | 2.2                            | No Change                      |
| <b>Wimmera</b>   | <b>Measured Total</b>  |  | -                  | <b>0.0</b>          | <b>0.0</b>          | -                   | -            | -              | -                            | -                | -                | -                              |                                |
| <b>Wimmera</b>   | <b>Indicated Total</b> |  | <b>382</b>         | <b>17.7</b>         | <b>15.9</b>         | <b>1.8</b>          | <b>4.6</b>   | <b>13</b>      | <b>30</b>                    | <b>17</b>        | <b>6</b>         | <b>2.8</b>                     |                                |
| <b>Wimmera</b>   | <b>Inferred Total</b>  |  | <b>1,003</b>       | <b>50.8</b>         | <b>51.3</b>         | <b>(0.6)</b>        | <b>5.1</b>   | <b>13</b>      | <b>32</b>                    | <b>15</b>        | <b>5</b>         | <b>2.3</b>                     |                                |
| <b>Wimmera</b>   | <b>Total</b>           |  | <b>1,384</b>       | <b>68.5</b>         | <b>67.2</b>         | <b>1.3</b>          | <b>4.9</b>   | <b>13</b>      | <b>31</b>                    | <b>16</b>        | <b>5</b>         | <b>2.4</b>                     |                                |
|  | <b>Measured Total</b>  |  | <b>10</b>          | <b>3.2</b>          | <b>4.4</b>          | <b>(1.2)</b>        | <b>32.1</b>  | <b>13</b>      | <b>62</b>                    | <b>12</b>        | <b>11</b>        | <b>1.1</b>                     |                                |
|  | <b>Indicated Total</b> |  | <b>476</b>         | <b>37.9</b>         | <b>34.4</b>         | <b>3.5</b>          | <b>8.0</b>   | <b>12</b>      | <b>44</b>                    | <b>14</b>        | <b>10</b>        | <b>1.7</b>                     |                                |
|  | <b>Inferred Total</b>  |  | <b>1,090</b>       | <b>61.1</b>         | <b>61.8</b>         | <b>(0.8)</b>        | <b>5.6</b>   | <b>13</b>      | <b>35</b>                    | <b>14</b>        | <b>7</b>         | <b>2.0</b>                     |                                |
|  | <b>Grand Total</b>     |  | <b>1,576</b>       | <b>102.1</b>        | <b>100.6</b>        | <b>1.5</b>          | <b>6.5</b>   | <b>13</b>      | <b>39</b>                    | <b>14</b>        | <b>8</b>         | <b>1.9</b>                     |                                |

**Notes:**

(1) Competent Persons - Mineral Resources: B Gibson (MAIG). The Mineral Resources were reported in accordance with the JORC Code (2012 Edition).

(2) Mineral Resources are inclusive of Ore Reserves.

(3) Rounding may generate differences in last decimal place. The aggregated totals may appear to reflect a greater degree of precision than individual deposits to maintain consistency in reporting.

(4) Mineral assemblage is reported as a percentage of in situ HM component.

(5) M+ X comprise the rare earth element bearing minerals monazite + xenotime.

(6) The quoted figures are stated as at 31 December 2022 and have been depleted for all production conducted to date.

(7) Information in this table that relates to Mineral Resources estimates for all deposits except WIM50, WIM50N and WIM100 is extracted from the announcement dated 21 February 2017 "Updated Mineral Resource and Ore Reserve Statement" which is available to view on [www.iluka.com/investors-media/asx-disclosures](http://www.iluka.com/investors-media/asx-disclosures). Updates to the Mineral Resource estimates for West Balranald and Ki Downs Deposits were reported in Iluka's Annual Report for 2022, released 21 February 2023. Information in this table that relates to the WIM50, WIM50N and WIM100 Deposits is extracted from the announcement dated 30 November 2021 "Wimmera Mineral Resource Estimate" which is available to view at [www.iluka.com/investors-media/asx-disclosures](http://www.iluka.com/investors-media/asx-disclosures).

(8) Iluka confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and as presented in updates in the Annual Reports and that all material assumptions and technical parameters underpinning the estimates continue to apply and have not materially changed. Iluka confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcements.

**PERTH BASIN MINERAL RESOURCE BREAKDOWN BY DISTRICT, DEPOSIT AND JORC CATEGORY AT 31 DECEMBER 2022**

| Summary of Mineral Resources for Sri Lanka <sup>(1,3,6,7,8)</sup> |                        |  |                    |                          |                          |                          |                   |                |                              |                  |                  |                                |                                |
|---|------------------------|--|--------------------|--------------------------|--------------------------|--------------------------|-------------------|----------------|------------------------------|------------------|------------------|--------------------------------|--------------------------------|
| District  | Deposit                | Mineral Resource Category <sup>(2)</sup> | Material Tonnes Mt | 2022 In Situ HMTonnes Mt | 2021 In Situ HMTonnes Mt | Diff In Situ HMTonnes Mt | 2022 HM Grade (%) | Clay Grade (%) | HM Assemblage <sup>(4)</sup> |                  |                  |                                | Comments on Change of Resource |
|   |                        |  |                    |                          |                          |                          |                   |                | Ilmenite Grade (%)           | Zircon Grade (%) | Rutile Grade (%) | (M+X) <sup>(5)</sup> Grade (%) |                                |
| Sri Lanka-Iluka   | Coco <sup>(9)</sup>    | Inferred                                 | -                  | -                        | 9.5                      | (9.5)                    | -                 | -              | -                            | -                | -                | -                              | Iluka's 40% ownership reported |
| <b>Sri Lanka-Iluka</b>  | <b>Measured Total</b>  |  | -                  | -                        | -                        | -                        | -                 | -              | -                            | -                | -                | -                              |                                |
| <b>Sri Lanka-Iluka</b>  | <b>Indicated Total</b> |  | -                  | -                        | -                        | -                        | -                 | -              | -                            | -                | -                | -                              |                                |
| <b>Sri Lanka-Iluka</b>  | <b>Inferred Total</b>  |  | -                  | -                        | 9.5                      | (9.5)                    | -                 | -              | -                            | -                | -                | -                              |                                |
| <b>Sri Lanka-Iluka</b>  | <b>Total</b>           |  | -                  | -                        | 9.5                      | (9.5)                    | -                 | -              | -                            | -                | -                | -                              |                                |
|   | <b>Measured Total</b>  |  | -                  | -                        | -                        | -                        | -                 | -              | -                            | -                | -                | -                              |                                |
|   | <b>Indicated Total</b> |  | -                  | -                        | -                        | -                        | -                 | -              | -                            | -                | -                | -                              |                                |
|   | <b>Inferred Total</b>  |  | -                  | -                        | 9.5                      | (9.5)                    | -                 | -              | -                            | -                | -                | -                              |                                |
|   | <b>Grand Total</b>     |  | -                  | -                        | 9.5                      | (9.5)                    | -                 | -              | -                            | -                | -                | -                              |                                |

**Notes:**

(1) Competent Persons - Mineral Resources: B Gibson (MAIG). The Mineral Resources were estimated in accordance with the JORC Code (2012 Edition).

(2) Mineral Resources are inclusive of Ore Reserves.

(3) Rounding may generate differences in last decimal place. The aggregated totals may appear to reflect a greater degree of precision than individual deposits to maintain consistency in reporting.

(4) Mineral assemblage is reported as a percentage of in situ HM component.

(5) M+ X comprise the rare earth element bearing minerals monazite + xenotime.

(6) The quoted figures are stated as at 31 December 2022 and have been depleted for all production conducted to date.

(7) Information in this table that relates to the Mineral Resource estimates is extracted from the announcement dated 5 August 2013 "Acquisition of Sri Lankan Tenement and Heavy Mineral Resource Base" which is available to view at [www.iluka.com/investors-media/asx-disclosures](http://www.iluka.com/investors-media/asx-disclosures). Updates to the Mineral Resource estimate for the PQ and Coco Deposits were reported in Iluka's 2018 Annual Report, released 21 February 2019, Iluka's Annual Report for 2019, released 20 February 2020, Iluka's Annual Report for 2020, released 25 February 2021, Iluka's Annual Report for 2021, released 24 February 2022 and Iluka's Annual Report for 2022, released 21 February 2023 which are available to view at [www.iluka.com/investors-media/asx-disclosures](http://www.iluka.com/investors-media/asx-disclosures).

(8) Iluka confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and that all material assumptions and technical parameters underpinning the estimates continue to apply and have not materially changed. Iluka confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcements.

(9) The Coco Deposit has been removed due to the inability to secure continuity of tenure

**ATLANTIC SEABOARD MINERAL RESOURCE BREAKDOWN BY DISTRICT, DEPOSIT AND JORC CATEGORY AT 31 DECEMBER 2022**

| Summary of Mineral Resources for Atlantic Seaboard <sup>(1,3,6,8,9)</sup> |                  |  |                    | 2022                | 2021                | Diff                | 2022         |                | HM Assemblage <sup>(4,7)</sup> |                  |                  |                                | Comments on Change of Resource |
|---|------------------|--|--------------------|---------------------|---------------------|---------------------|--------------|----------------|--------------------------------|------------------|------------------|--------------------------------|--------------------------------|
| District  | Deposit          | Mineral Resource Category <sup>(2)</sup> | Material Tonnes Mt | In Situ HMTonnes Mt | In Situ HMTonnes Mt | In Situ HMTonnes Mt | HM Grade (%) | Clay Grade (%) | Ilmenite Grade (%)             | Zircon Grade (%) | Rutile Grade (%) | (M+X) <sup>(5)</sup> Grade (%) |                                |
| North Carolina  | Aurelian Springs | Measured                                 | 13.0               | 1.0                 | 1.0                 | -                   | 7.8          | 34             | 70                             | 7                | -                | -                              | No change                      |
|   |                  | Indicated                                | 24.8               | 1.8                 | 1.8                 | -                   | 7.4          | 39             | 67                             | 8                | -                | -                              | No change                      |
|   |                  | Inferred                                 | 3.6                | 0.2                 | 0.2                 | -                   | 6.5          | 35             | 62                             | 7                | -                | -                              | No change                      |
| North Carolina  | Measured Total   |  | 13                 | 1.0                 | 1.0                 | -                   | 8            | 34             | 70                             | 7                | -                | -                              |                                |
| North Carolina  | Indicated Total  |  | 25                 | 1.8                 | 1.8                 | -                   | 7            | 39             | 67                             | 8                | -                | -                              |                                |
| North Carolina  | Inferred Total   |  | 4                  | 0.2                 | 0.2                 | -                   | 7            | 35             | 62                             | 7                | -                | -                              |                                |
| North Carolina  | Total            |  | 41                 | 3.1                 | 3.1                 | -                   | 7            | 37             | 67                             | 8                | -                | -                              |                                |
| Virginia  | Old Hickory      | Measured                                 | 14.3               | 0.3                 | 0.3                 | -                   | 2.3          | 28             | 57                             | 15               | -                | -                              | No change                      |
|   |                  | Indicated                                | 22.4               | 0.7                 | 0.7                 | -                   | 3.1          | 35             | 56                             | 16               | -                | -                              | No change                      |
|   |                  | Inferred                                 | 12.8               | 0.3                 | 0.3                 | -                   | 2.1          | 29             | 58                             | 15               | -                | -                              | No change                      |
| Virginia  | Measured Total   |  | 14                 | 0.3                 | 0.3                 | -                   | 2            | 28             | 57                             | 15               | -                | -                              |                                |
| Virginia  | Indicated Total  |  | 22                 | 0.7                 | 0.7                 | -                   | 3            | 35             | 56                             | 16               | -                | -                              |                                |
| Virginia  | Inferred Total   |  | 13                 | 0.3                 | 0.3                 | -                   | 2            | 29             | 58                             | 15               | -                | -                              |                                |
| Virginia  | Total            |  | 49                 | 1.3                 | 1.3                 | -                   | 3            | 32             | 57                             | 16               | -                | -                              |                                |
|   | Measured Total   |  | 27                 | 1.3                 | 1.3                 | -                   | 5            | 31             | 67                             | 9                | -                | -                              |                                |
|   | Indicated Total  |  | 47                 | 2.5                 | 2.5                 | -                   | 5            | 37             | 64                             | 11               | -                | -                              |                                |
|   | Inferred Total   |  | 16                 | 0.5                 | 0.5                 | -                   | 3            | 30             | 60                             | 11               | -                | -                              |                                |
|   | Grand Total      |  | 91                 | 4.4                 | 4.4                 | -                   | 5            | 34             | 64                             | 10               | -                | -                              |                                |

**Notes:**

(1) Competent Persons - Mineral Resources: B Gibson (MAIG). The Mineral Resources were estimated in accordance with the JORC Code (2012 Edition).

(2) Mineral Resources are inclusive of Ore Reserves.

(3) Rounding may generate differences in last decimal place. The aggregated totals may appear to reflect a greater degree of precision than individual deposits to maintain consistency in reporting.

(4) Mineral assemblage is reported as a percentage of in situ HM component.

(5) M+ X comprise the rare earth element bearing minerals monazite + xenotime.

(6) The quoted figures are stated as at 31 December 2022 and have been depleted for all production conducted to date.

(7) Rutile is included in Ilmenite for the Atlantic Seaboard.

(8) Information in this table that relates to the Mineral Resource estimates is extracted from the announcement dated 21 February 2017 "Updated Mineral Resource and Ore Reserve Statement" which is available to view on [www.iluka.com/investors-media/asx-disclosures](http://www.iluka.com/investors-media/asx-disclosures). Updates to the Mineral Resource estimates for the Atlantic Seaboard Mineral Resources were reported in Iluka's 2018 Annual Report, released 21 February 2019, Iluka's Annual Report for 2019, released 20 February 2020, Iluka's Annual Report for 2020, released 25 February 2021, Iluka's Annual Report for 2021, released 24 February 2022 and Iluka's Annual Report for 2022, released 21 February 2023, which are available to view at [www.iluka.com/investors-media/asx-disclosures](http://www.iluka.com/investors-media/asx-disclosures).

(9) Iluka confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and that all material assumptions and technical parameters underpinning the estimates continue to apply and have not materially changed. Iluka confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcements.



**EUCLA BASIN ORE RESERVE BREAKDOWN BY DISTRICT, DEPOSIT AND JORC CATEGORY AT 31 DECEMBER 2022**

Page 10 of 11

| Summary of Ore Reserves for Eucla Basin <sup>(1,3,5,7,8)</sup> |                       |                                     |                        |               |                     |                     |                     |              |                |                              |                  |                  |                                |                                   |
|--|-----------------------|-------------------------------------|------------------------|---------------|---------------------|---------------------|---------------------|--------------|----------------|------------------------------|------------------|------------------|--------------------------------|-----------------------------------|
| District   | Deposit               | Ore Reserve Category <sup>(2)</sup> | Overburden Volume Mbcm | Ore Tonnes Mt | 2022                | 2021                | Diff                | 2022         | Clay Grade (%) | HM Assemblage <sup>(4)</sup> |                  |                  |                                | Comments on Change of Reserve     |
|  |                       |                                     |                        |               | In Situ HMTonnes Mt | In Situ HMTonnes Mt | In Situ HMTonnes Mt | HM Grade (%) |                | Ilmenite Grade (%)           | Zircon Grade (%) | Rutile Grade (%) | (M+X) <sup>(6)</sup> Grade (%) |                                   |
| East Eucla   | Ambrosia              | Proved                              | 20.4                   | 46.3          | 1.3                 | 1.4                 | (0.1)               | 2.9          | 13             | 23                           | 51               | 5                | 0.4                            | Updated Reserve estimate & mining |
|  |                       | Probable                            | -                      | 1.0           | 0.0                 | 0.0                 | (0.0)               | 2.3          | 11             | 17                           | 55               | 3                | 0.5                            | Updated Reserve estimate & mining |
|  | Jacinth               | Proved                              | 0.8                    | 3.0           | 0.1                 | 0.2                 | (0.2)               | 2.3          | 13             | 20                           | 58               | 4                | 0.7                            | Depletion/operating mine          |
|  |                       | Probable                            | -                      | 0.9           | 0.0                 | 0.0                 | (0.0)               | 2.3          | 13             | 20                           | 58               | 3                | 0.8                            | Depletion/operating mine          |
| <b>East Eucla</b>  | <b>Proved Total</b>   |                                     | <b>21</b>              | <b>49</b>     | <b>1.4</b>          | <b>1.6</b>          | <b>(0.2)</b>        | <b>2.9</b>   | <b>13</b>      | <b>23</b>                    | <b>51</b>        | <b>5</b>         | <b>0.4</b>                     |                                   |
| <b>East Eucla</b>  | <b>Probable Total</b> |                                     | <b>-</b>               | <b>2</b>      | <b>0.0</b>          | <b>0.1</b>          | <b>(0.0)</b>        | <b>2.3</b>   | <b>12</b>      | <b>18</b>                    | <b>56</b>        | <b>3</b>         | <b>0.6</b>                     |                                   |
| <b>East Eucla</b>  | <b>Total</b>          |                                     | <b>21</b>              | <b>51</b>     | <b>1.5</b>          | <b>1.7</b>          | <b>(0.2)</b>        | <b>2.9</b>   | <b>13</b>      | <b>23</b>                    | <b>51</b>        | <b>5</b>         | <b>0.4</b>                     |                                   |
|  | <b>Proved Total</b>   |                                     | <b>21</b>              | <b>49</b>     | <b>1.4</b>          | <b>1.6</b>          | <b>(0.2)</b>        | <b>2.9</b>   | <b>13</b>      | <b>23</b>                    | <b>51</b>        | <b>5</b>         | <b>0.4</b>                     |                                   |
|  | <b>Probable Total</b> |                                     | <b>-</b>               | <b>2</b>      | <b>0.0</b>          | <b>0.1</b>          | <b>(0.0)</b>        | <b>2.3</b>   | <b>12</b>      | <b>18</b>                    | <b>56</b>        | <b>3</b>         | <b>0.6</b>                     |                                   |
|  | <b>Grand Total</b>    |                                     | <b>21</b>              | <b>51</b>     | <b>1.5</b>          | <b>1.7</b>          | <b>(0.2)</b>        | <b>2.9</b>   | <b>13</b>      | <b>23</b>                    | <b>51</b>        | <b>5</b>         | <b>0.4</b>                     |                                   |

**Notes:**

(1) Competent Persons - Ore Reserves: A Walkenhorst (MAusIMM). The Ore Reserves were estimated in accordance with the JORC Code (2012 Edition).

(2) Ore Reserves are a sub-set of Mineral Resources.

(3) Rounding may generate differences in the last decimal place. The aggregated totals may appear to reflect a greater degree of precision than individual deposits to maintain consistency in reporting.

(4) Mineral assemblage is reported as a percentage of in situ HM component.

(5) The quoted figures are stated as at 31 December 2022 and have been depleted for all production conducted to date.

(6) M+ X comprise the rare earth element bearing minerals monazite + xenotime.

(7) Information in this table that relates to the Ore Reserve estimates is extracted from the announcement dated 21 February 2017 "Updated Mineral Resource and Ore Reserve Statement" which is available to view on [www.iluka.com/investors-media/asx-disclosures](http://www.iluka.com/investors-media/asx-disclosures). Updates to the Ore Reserve estimates for Jacinth and Ambrosia Deposits were reported in Iluka's 2018 Annual Report, released 21 February 2019, Iluka's Annual Report for 2019, released 20 February 2020, Iluka's Annual Report for 2020, released 25 February 2021, Iluka's Annual Report for 2021, released 24 February 2022 and Iluka's Annual Report for 2022, released 21 February 2023 which are available to view at [www.iluka.com/investors-media/asx-disclosures](http://www.iluka.com/investors-media/asx-disclosures).

(8) Iluka confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and that all material assumptions and technical parameters underpinning the estimates continue to apply and have not materially changed. Iluka confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcements.

**PERTH BASIN ORE RESERVE BREAKDOWN BY DISTRICT, DEPOSIT AND JORC CATEGORY AT 31 DECEMBER 2022**

Page 11 of 11

| Summary of Ore Reserves for WA-Mid-West <sup>(1,3,5,7,8)</sup> |                          |                                     |                        |               |                     |                     |                     |              |                              |                    |                  |                  |                      |   |
|--|--------------------------|-------------------------------------|------------------------|---------------|---------------------|---------------------|---------------------|--------------|------------------------------|--------------------|------------------|------------------|----------------------|---|
| District   | Deposit                  | Ore Reserve Category <sup>(2)</sup> | Overburden Volume Mbcm | Ore Tonnes Mt | 2022                | 2021                | Diff                | 2022         | HM Assemblage <sup>(4)</sup> |                    |                  |                  | (M+X) <sup>(6)</sup> | Comments on Change of Reserve                     |
|  |                          |                                     |                        |               | In Situ HMTonnes Mt | In Situ HMTonnes Mt | In Situ HMTonnes Mt | HM Grade (%) | Clay Grade (%)               | Ilmenite Grade (%) | Zircon Grade (%) | Rutile Grade (%) |                      |   |
| Eneabba  | MSP By-Product Stockpile | Proved                              | 0.0                    | 0.69          | 0.58                | 0.58                | -                   | 84.7         | 3                            | 32                 | 27               | -                | 21.6                 | No Change   |
|  |                          | Probable                            | -                      | 0.28          | 0.23                | 0.17                | 0.05                | 82.5         | 3                            | 37                 | 31               | -                | 12.9                 | Additional tailings stockpiled                    |
| <b>Eneabba</b>   | <b>Proved Total</b>      |                                     | <b>0.0</b>             | <b>0.69</b>   | <b>0.58</b>         | <b>0.58</b>         | <b>-</b>            | <b>84.7</b>  | <b>3</b>                     | <b>32</b>          | <b>27</b>        | <b>-</b>         | <b>21.6</b>          |   |
| <b>Eneabba</b>   | <b>Probable Total</b>    |                                     | <b>-</b>               | <b>0.28</b>   | <b>0.23</b>         | <b>0.17</b>         | <b>0.05</b>         | <b>82.5</b>  | <b>3</b>                     | <b>37</b>          | <b>31</b>        | <b>-</b>         | <b>12.9</b>          |   |
| <b>Eneabba<sup>(3)</sup></b>                                   | <b>Total</b>             |                                     | <b>0.0</b>             | <b>0.96</b>   | <b>0.81</b>         | <b>0.76</b>         | <b>0.05</b>         | <b>84.1</b>  | <b>3</b>                     | <b>34</b>          | <b>28</b>        | <b>-</b>         | <b>19.2</b>          |   |
| WA-Mid-West  | Cataby                   | Proved                              | 108                    | 70.1          | 4.3                 | 4.9                 | (0.6)               | 6.1          | 12                           | 60                 | 9                | 4                | 0.6                  | Mining depletion, updated pit design, ROM removed |
|  |                          | Probable                            | -                      | 24.4          | 1.2                 | 1.3                 | (0.1)               | 4.7          | 11                           | 62                 | 9                | 4                | 0.7                  | Mining depletion, updated pit design              |
|  | Cataby ROM               | Proved                              | -                      | 4.1           | 0.1                 | -                   | 0.1                 | 3.5          | 11                           | 62                 | 7                | 4                | 0.6                  | New deposit, ROM previously reported in Cataby    |
|  |                          | Probable                            | -                      | 2.0           | 0.1                 | -                   | 0.1                 | 5.0          | 10                           | 60                 | 8                | 5                | 0.6                  | New deposit, ROM previously reported in Cataby    |
| <b>WA-Mid-West</b>   | <b>Proved Total</b>      |                                     | <b>108</b>             | <b>74</b>     | <b>4.4</b>          | <b>4.9</b>          | <b>(0.5)</b>        | <b>6.0</b>   | <b>12</b>                    | <b>60</b>          | <b>9</b>         | <b>4</b>         | <b>0.6</b>           |   |
| <b>WA-Mid-West</b>   | <b>Probable Total</b>    |                                     | <b>-</b>               | <b>26</b>     | <b>1.3</b>          | <b>1.3</b>          | <b>(0.0)</b>        | <b>4.7</b>   | <b>11</b>                    | <b>62</b>          | <b>8</b>         | <b>4</b>         | <b>0.7</b>           |   |
| <b>WA-Mid-West</b>   | <b>Total</b>             |                                     | <b>108</b>             | <b>101</b>    | <b>5.7</b>          | <b>6.2</b>          | <b>(0.5)</b>        | <b>5.7</b>   | <b>12</b>                    | <b>61</b>          | <b>9</b>         | <b>4</b>         | <b>0.6</b>           | <b>-</b>  |
| WA-South-West  | Tutunup                  | Probable                            | 1.0                    | 9.5           | 1.1                 | 1.1                 | -                   | 11.1         | 16                           | 70                 | 11               | 1                | 0.9                  | No Change   |
|  | Yarloop                  | Probable                            | -                      | -             | -                   | 0.8                 | (0.8)               | -            | -                            | -                  | -                | -                | -                    | Removed as not compliant with JORC 2012           |
| <b>WA-South-West</b>   | <b>Proved Total</b>      |                                     | <b>-</b>               | <b>-</b>      | <b>-</b>            | <b>-</b>            | <b>-</b>            | <b>-</b>     | <b>-</b>                     | <b>-</b>           | <b>-</b>         | <b>-</b>         | <b>-</b>             |   |
| <b>WA-South-West</b>   | <b>Probable Total</b>    |                                     | <b>1</b>               | <b>10</b>     | <b>1.1</b>          | <b>1.9</b>          | <b>(0.8)</b>        | <b>11.1</b>  | <b>16</b>                    | <b>70</b>          | <b>11</b>        | <b>1</b>         | <b>0.9</b>           |   |
| <b>WA-South-West</b>   | <b>Total</b>             |                                     | <b>1</b>               | <b>10</b>     | <b>1.1</b>          | <b>1.9</b>          | <b>(0.8)</b>        | <b>11.1</b>  | <b>16</b>                    | <b>70</b>          | <b>11</b>        | <b>1</b>         | <b>0.9</b>           | <b>-</b>  |
|  | <b>Proved Total</b>      |                                     | <b>108</b>             | <b>75</b>     | <b>5.0</b>          | <b>5.5</b>          | <b>(0.5)</b>        | <b>6.7</b>   | <b>12</b>                    | <b>57</b>          | <b>11</b>        | <b>4</b>         | <b>3.0</b>           |   |
|  | <b>Probable Total</b>    |                                     | <b>1</b>               | <b>36</b>     | <b>2.5</b>          | <b>3.4</b>          | <b>(0.8)</b>        | <b>7.0</b>   | <b>12</b>                    | <b>63</b>          | <b>11</b>        | <b>2</b>         | <b>1.9</b>           |   |
|  | <b>Grand Total</b>       |                                     | <b>109</b>             | <b>111</b>    | <b>7.6</b>          | <b>8.9</b>          | <b>(1.3)</b>        | <b>6.8</b>   | <b>12</b>                    | <b>59</b>          | <b>11</b>        | <b>3</b>         | <b>2.6</b>           |   |

**Notes:**

(1) Competent Persons - Ore Reserves: A Walkenhorst (MAusIMM). The Ore Reserves were estimated in accordance with the JORC Code (2012 Edition) other than the Ore Reserves for the South West deposits, which have not materially changed and were estimated in accordance with the JORC Code (2004 Edition). Iluka Resources is undertaking further work in order to report these estimates in accordance with the JORC Code (2012 Edition).

(2) Ore Reserves are a sub-set of Mineral Resources.

(3) Rounding may generate differences in the last decimal place. The aggregated totals may appear to reflect a greater degree of precision than individual deposits to maintain consistency in reporting.

(4) Mineral assemblage is reported as a percentage of in situ HM component.

(5) The quoted figures are stated as at 31 December 2021 and have been depleted for all production conducted to date.

(6) M+ X comprise the rare earth element bearing minerals monazite + xenotime.

(7) Information in this table that relates to the Ore Reserve estimate for Cataby is extracted from the announcement dated 21 February 2017 "Updated Mineral Resource and Ore Reserve Statement" which is available to view on [www.iluka.com/investors-media/asx-disclosures](http://www.iluka.com/investors-media/asx-disclosures). Information in this table that relates to the Ore Reserve estimate for MSP By-products Stockpile is extracted from the announcement dated 18 February 2020 "Eneabba Mineral Sands Recovery Project Ore Reserve Estimate" which is available to view on [www.iluka.com/investors-media/asx-disclosures](http://www.iluka.com/investors-media/asx-disclosures). Updates to the Ore Reserve estimates for the Perth Basin Deposits were reported in Iluka's Annual Report for 2019, released 20 February 2020, Iluka's Annual Report for 2020, released 25 February 2021, Iluka's Annual Report for 2021, released 24 February 2022 and Iluka's Annual Report for 2022, released 21 February 2023 which are available to view at [www.iluka.com/investors-media/asx-disclosures](http://www.iluka.com/investors-media/asx-disclosures).

(8) Iluka confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and that all material assumptions and technical parameters underpinning the estimates continue to apply and have not materially changed. Iluka confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcements.